

HTATIP2 Antibody

HTATIP2

HTATIP2 (HIV-1 Tat interactive protein 2, 30kDa)

CATALOG NO.: 27-700

Antibody is lyophilized in PBS buffer with 2% sucrose. Add 200 µl of distilled water. Final antibody concentration is 1 mg/ml.

HOST:

Rabbit

CLONALITY:

Polyclonal

IMMUNOGEN:

Antibody produced in rabbits immunized with a synthetic peptide corresponding a region of human HTATIP2.

PROTEIN ACCESSION NUMBER(S) :

NP_006401

CALCULATED MOLECULAR WEIGHT:

27kDa

SPECIES REACTIVITY:

H, M, D

TESTED APPLICATION(S):

E, WB, IHC


APPLICATION:

HTATIP2 antibody can be used for detection of HTATIP2 by ELISA at 1:1562500. HTATIP2 antibody can be used for detection of HTATIP2 by western blot at 0.5-1.0 µg/ml, and HRP conjugated secondary antibody should be diluted 1:50,000 - 100,000.

PURIFICATION:

Antibody is supplied as total IgG.

BUFFER:



Western blot analysis of HTATIP2 in Jurkat Cell Lysate using HTATIP2 antibody at 10 μ g/ml (12% gel).

STORAGE:

For longer periods of storage, store HTATIP2 antibody at -20°C. Avoid repeat freeze-thaw cycles.

REFERENCE:

Jiang, C., et al., (2004) J. Biol. Chem. 279(26), 27781-27789.

USER NOTES:

When working with antibodies optimal dilutions and concentrations should be determined by the end user for each application. The information provided is a guideline for antibody use. As with all ProSci antibodies, **this antibody is for research use only.**