

WTAP Antibody

Wilms' tumor 1-associating protein isoform 1

CATALOG NO.: XW-7324

BACKGROUND:

Wilms' tumour 1-associating protein; WTAP; WT1-associated protein. Wilms' tumour 1-associating protein plays a role in both transcriptional and posttranscriptional regulation of certain cellular genes. This protein is a ubiquitously expressed nuclear protein. Like WT1 protein, this protein is localized throughout the nucleoplasm as well as in speckles and partially colocalizes with splicing factors. Alternative splicing of it's gene results in three transcript variants, two of which encode the same isoform.

TESTED APPLICATION:

WB

SPECIES REACTIVITY:

H,M,R

CLONALITY:

Polyclonal

HOST:

Chicken

IMMUNOGEN:

1-151

PROTEIN GI #:

4758636

PROTEIN ACCESSION #:

NP_004897.1

PURIFICATION:

Antigen affinity-purified

BUFFER:

Phosphate-Buffered Saline. No preservatives added.

APPLICATION:

KIAA0105 IgY antibody can be used for the detection of KIAA0105 by Western blot, may also work for IHC and ICC.



KIAA0105 IgY Antibody

STORAGE:

This antibody can be stored at 4°C for short term (weeks). Long term storage should be at -20°C. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.

USER NOTES:

When working with antibodies optimal dilutions/concentrations should be determined by the end user for each application. The information provided is a guideline for antibody use. As with all ProSci antibodies, this antibody is for research use only.