




# Donkey Anti-Goat IgG (H&L) Antibody (FITC)

Cat. No.: XR-9360



## Ψ Specifications

<b>HOST SPECIES:</b>	Donkey
<b>SPECIES REACTIVITY:</b>	Goat
<b>IMMUNOGEN:</b>	Goat IgG - whole molecule
<b>TARGET SPECIES:</b>	Reacts with the heavy chain of goat IgG.
<b>TESTED APPLICATIONS:</b>	ELISA, IHC, WB
<b>APPLICATIONS:</b>	Fluorescein Conjugated Affinity Purified anti-Goat IgG is suitable for immunomicroscopy and flow cytometry or FACS analysis as well as other antibody based fluorescent assays requiring lot-to-lot consistency.

## Ψ Properties

<b>PURIFICATION:</b>	Fluorescein Conjugated Affinity Purified anti-Goat IgG was prepared from monospecific antiserum by immunoaffinity chromatography using Goat IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Fluorescein, anti-Donkey Serum, Goat IgG, and Goat Serum.
<b>ISOTYPE:</b>	IgG

<b>CONJUGATE:</b>	FITC
<b>PHYSICAL STATE:</b>	Lyophilized
<b>BUFFER:</b>	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, 0.01% (w/v) Sodium Azide; pH 7.2; 10 mg/mL Bovine Serum Albumin
<b>STORAGE CONDITIONS:</b>	Alkaline Phosphatase Conjugated Affinity Purified anti-Rabbit IgG can be stored vial at 4 °C before opening. DO NOT FREEZE. This product is stable at 4 °C as an undiluted liquid. Dilute only prior to immediate use. Freezing alkaline phosphatase conjugates will result in a substantial loss of enzymatic activity. Expiration date is one (1) year from date of opening product.

## Background and References

---

<b>REFERENCES:</b>	1) The and Feltkamp, Immunology 18; 865, 1970.
--------------------	--

---

### **ANTIBODIES FOR RESEARCH USE ONLY.**

For additional information, visit ProSci's [Terms & Conditions Page](#).