




# SARS-CoV-2 (COVID-19) Spike ECD Antibody

Cat. No.: 10-528



**Figure 1 Western Blot Validation with Recombinant Protein**

Loading: 1µg of recombinant protein per lane. Lane 1: 10-007, Lane 2: 10-008 and Lane 3: 10-011. Antibodies: SARS-CoV-2 (COVID-19) Spike ECD, 10-528, 1:500. Secondary: Goat anti

## Ψ Specifications

<b>HOST SPECIES:</b>	Rabbit
<b>SPECIES REACTIVITY:</b>	Virus
<b>IMMUNOGEN:</b>	S-ECD recombinant protein
<b>TESTED APPLICATIONS:</b>	ELISA, WB
<b>APPLICATIONS:</b>	WB: 1:2000-10000

## Ψ Properties

<b>PURIFICATION:</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).
<b>CLONALITY:</b>	Polyclonal
<b>ISOTYPE:</b>	IgG
<b>CONJUGATE:</b>	Unconjugated
<b>PHYSICAL STATE:</b>	Liquid
<b>BUFFER:</b>	PBS with 0.02% sodium azide, 10% glycerol, pH7.2

<b>CONCENTRATION:</b>	1 mg/mL
<b>STORAGE CONDITIONS:</b>	Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.

## Additional Info

---

<b>OFFICIAL SYMBOL:</b>	S
<b>ALTERNATE NAMES:</b>	SARS-CoV-2 (COVID-19, 2019-nCoV) Spike Antibody: Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2), Surface Glycoprotein, Spike protein
<b>ACCESSION NO.:</b>	QHD43416.1
<b>GENE ID:</b>	43740568
<b>USER NOTE:</b>	Optimal dilutions for each application to be determined by the researcher.

---

### **ANTIBODIES FOR RESEARCH USE ONLY.**

For additional information, visit ProSci's [Terms & Conditions Page](#).