




# SARS-CoV-2 (COVID-19) Spike RBD Monoclonal Antibody [B005] (Biotin)

Cat. No.: 10-569




## Ψ Specifications

<b>HOST SPECIES:</b>	Human
<b>SPECIES REACTIVITY:</b>	Virus
<b>IMMUNOGEN:</b>	S-ECD recombinant protein
<b>TESTED APPLICATIONS:</b>	ELISA, Neut, WB
<b>APPLICATIONS:</b>	WB: 1:1000~2000

## Ψ Properties

<b>PURIFICATION:</b>	Greater than 95% as determined by reducing SDS-PAGE.
<b>CLONALITY:</b>	Monoclonal
<b>CONJUGATE:</b>	Biotin
<b>PHYSICAL STATE:</b>	Liquid
<b>BUFFER:</b>	PBS with 0.02% sodium azide, 10% glycerol, pH7.2
<b>CONCENTRATION:</b>	batch dependent
<b>STORAGE CONDITIONS:</b>	Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.

<b>OFFICIAL SYMBOL:</b>	S
<b>ALTERNATE NAMES:</b>	SARS-CoV-2 (COVID-19, 2019-nCoV) Spike Antibody: Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2), Surface Glycoprotein, Spike protein
<b>ACCESSION NO.:</b>	QHD43416.1
<b>GENE ID:</b>	43740568
<b>USER NOTE:</b>	Optimal dilutions for each application to be determined by the researcher.

 Background and References

---

<b>BACKGROUND:</b>	SARS-CoV-2 (Severe Acute Respiratory Syndrome Coronavirus 2) also known as 2019-nCoV (2019 Novel Coronavirus) is a virus that causes illnesses ranging from the common cold to severe diseases. SARS CoV-2 Spike Protein derived from 2019-nCoV is composed of S1 domain and S2 domain. The S1 contains a receptor-binding domain (RBD) that can specifically bind to angiotensin-converting enzyme 2 (ACE2), the receptor on target cells.
--------------------	---

**ANTIBODIES FOR RESEARCH USE ONLY.**

For additional information, visit ProSci's [Terms & Conditions Page](#).