




SARS-CoV-2 (COVID-19) Spike S2 Antibody

Cat. No.: 9119



Ψ Specifications

HOST SPECIES:	Rabbit
SPECIES REACTIVITY:	Virus
HOMOLOGY:	Predicted reactivity based on immunogen sequence: SARS-CoV Spike proteins: (75%)
IMMUNOGEN:	Anti-SARS-CoV-2 (COVID-19) Spike antibody (9119) was raised against a peptide corresponding to 16 amino acids near the center terminus of SARS-CoV-2 (COVID-19) Spike glycoprotein. The immunogen is located within 900-950 amino acids of SARS-CoV-2 (COVID-19) Spike protein.
TESTED APPLICATIONS:	ELISA, IF, WB

APPLICATIONS:	WB: 1 µg/mL; IF: 10 µg/mL. Antibody validated: Immunofluorescence in human samples. SARS-CoV-2 (COVID-19) Spike antibody can be used for the detection of SARS-CoV-2 (COVID-19) Spike protein in ELISA. It will detect 4 ng of free peptide at 1 µg/mL. All other applications and species not yet tested.
----------------------	---

Ψ Properties

PURIFICATION:	SARS-CoV-2 (COVID-19) Spike Antibody is affinity chromatography purified via peptide column.
CLONALITY:	Polyclonal
ISOTYPE:	IgG
CONJUGATE:	Unconjugated
PHYSICAL STATE:	Liquid
BUFFER:	SARS-CoV-2 (COVID-19) Spike Antibody is supplied in PBS containing 0.02% sodium azide.
CONCENTRATION:	1 mg/mL
STORAGE CONDITIONS:	SARS-CoV-2 (COVID-19) Spike antibody can be stored at 4 °C for three months and -20 °C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.

Ψ Additional Info

OFFICIAL SYMBOL:	S
ALTERNATE NAMES:	SARS-CoV-2 (COVID-19) Spike Antibody: Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2), Surface Glycoprotein, Spike protein
ACCESSION NO.:	QHD43416
PROTEIN GI NO.:	1791269090
GENE ID:	43740568
USER NOTE:	Optimal dilutions for each application to be determined by the researcher.

Ψ Background and References

BACKGROUND:	<p>Coronavirus disease 2019 (COVID-19), formerly known as 2019-nCoV acute respiratory disease, is an infectious disease caused by SARS-CoV-2, a virus closely related to the SARS virus (1). The disease is the cause of the 2019–20 coronavirus outbreak (2). The structure of 2019-nCoV consists of the following: a Spike protein (S), hemagglutinin-esterase dimer (HE), a membrane glycoprotein (M), an envelope protein (E) a nucleocapsid protein (N) and RNA. Coronavirus invades cells through Spike (S) glycoproteins, a class I fusion protein. It is the major viral surface protein that coronavirus uses to bind to the human cell surface receptor. It also mediates the fusion of host and viral cell membrane, allowing the virus to enter human cells and begin infection (3). The spike protein is the major target for neutralizing antibodies and vaccine development (4). The protein modeling suggests that there is strong interaction between Spike protein receptor-binding domain and its host receptor angiotensin-converting enzyme 2 (ACE2), which regulate both the cross-species and human-to-human transmissions of COVID-19 (5). The recent study has shown that the SARS-CoV-2 spike protein binds ACE2 with higher affinity than SARS-CoV spike protein (6).</p>
REFERENCES:	1) Gorbalenya. bioRxiv. 2020.
	2) Hui et al. Int J Infect Dis. 2020;91:264-266.
	3) Belouzard et al. Viruses. 2012;4(6):1011-33.
	4) Lee et al. J Virol. 2006;80(8):4079-87.
	5) Wan et al. J Virol. 2020.
	6) Wrapp et al. Science. 2020.

ANTIBODIES FOR RESEARCH USE ONLY.

For additional information, visit ProSci's [Terms & Conditions Page](#).