





# Seasonal H1N1 Hemagglutinin Antibody

Cat. No.: 5231



Western blot analysis of Hemagglutinin using recombinant seasonal Hemagglutinin (lanes A & B) and swine-origin Hemagglutinin (lanes C & D) with anti-seasonal Hemagglutinin antibody (5231) at 2 µg/mL (lanes A & C) and anti-swine-origin Hemagglutinin antibody (5232) at 2 µg/mL (lanes B & D).



ELISA results using Seasonal H1N1 Hemagglutinin antibody at 1 µg/mL and the blocking and corresponding peptides at 50, 10, 2 and 0 ng/mL.

## Ψ Specifications

|                             |  |
|-----------------------------|--|
| <b>HOST SPECIES:</b>        | Rabbit   |
| <b>SPECIES REACTIVITY:</b>  | Virus  |
| <b>IMMUNOGEN:</b>           | <p>Hemagglutinin antibody was raised against a synthetic peptide from the Hemagglutinin protein.</p> <p>The peptide sequence is unique from the peptide sequence for product 5235 and 5239.</p> <p>This antibody is a cognate pair with product 5233.</p> <p>The immunogen is located within amino acids 120 - 170 of Seasonal H1N1 Hemagglutinin.</p> |
| <b>TESTED APPLICATIONS:</b> | ELISA, WB  |

|                      |   |
|----------------------|---|
| <b>APPLICATIONS:</b> | Hemagglutinin antibody can be used for the detection of the Hemagglutinin protein from the H1N1 strain of common influenza A in ELISA. It will detect 2 ng of free peptide at 1 µg/mL.  |
| <b>SPECIFICITY:</b>  | This antibody is specific for the seasonal H1N1 influenza Hemagglutinin and will not recognize the corresponding Hemagglutinin sequence from the swine-origin H1N1 influenza (A/California/14/2009 (H1N1)). Will not cross-react with peptide corresponding to the swine-origin H1N1 influenza Hemagglutinin. |

## Ψ Properties

|                            |   |
|----------------------------|---|
| <b>PURIFICATION:</b>       | Seasonal H1N1 Hemagglutinin Antibody is affinity chromatography purified via peptide column.  |
| <b>CLONALITY:</b>          | Polyclonal  |
| <b>ISOTYPE:</b>            | IgG   |
| <b>CONJUGATE:</b>          | Unconjugated  |
| <b>PHYSICAL STATE:</b>     | Liquid  |
| <b>BUFFER:</b>             | Seasonal H1N1 Hemagglutinin Antibody is supplied in PBS containing 0.02% sodium azide.  |
| <b>CONCENTRATION:</b>      | 1 mg/mL   |
| <b>STORAGE CONDITIONS:</b> | Seasonal H1N1 Hemagglutinin antibody can be stored at 4 °C for three months and -20 °C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures. |

## Ψ Additional Info

|                         |  |
|-------------------------|--|
| <b>OFFICIAL SYMBOL:</b> | HA   |
| <b>ALTERNATE NAMES:</b> | Seasonal H1N1 Hemagglutinin Antibody:                                      |
| <b>ACCESSION NO.:</b>   | ACA28844   |
| <b>PROTEIN GI NO.:</b>  | 168805691  |
| <b>USER NOTE:</b>       | Optimal dilutions for each application to be determined by the researcher. |

## Ψ Background and References

|                    |  |
|--------------------|--|
| <b>BACKGROUND:</b> | <p>Seasonal H1N1 Hemagglutinin Antibody: Influenza A virus is a major public health threat, killing more than 30, 000 people per year in the USA. In early 2009, a novel swine-origin influenza A (H1N1) virus was identified in specimens obtained from patients in Mexico and the United States. The virus spread quickly around the world and on June 11, 2009, the World Health Organization declared it a pandemic. Influenza A virus has one of sixteen possible Hemagglutinin (HA) surface proteins and one of nine possible Neuraminidase (NA) surface proteins. The Hemagglutinin protein facilitates viral attachment while Neuraminidase is involved in viral release. These proteins also elicit immune responses that prevent infection or independently reduce viral replication. The genetic make-up of this swine flu virus is unlike any other: it is an H1N1 strain that combines a triple assortment first identified in 1998 including human, swine, and avian influenza with two new pig H3N2 virus genes from Eurasia, themselves of recent human origin. The distinct antigenic properties of the new swine virus compared with seasonal influenza A (H1N1) virus suggest that human immunity against new swine influenza virus is limited, although the age distribution of reported cases suggests some degree of protection in older age groups.</p> |
| <b>REFERENCES:</b> | <p>1) Thompson WW, Shay DK, Weintraub, et al. Mortality associated with influenza and respiratory syncytial virus in the United States. JAMA2003; 289:179-186.</p>   |
|                    | <p>2) Novel Swine-Origin Influenza A (H1N1) Virus Investigation Team, Dawood FS, Jain S, et al. Emergence of a novel swine-origin influenza A (H1N1) virus in humans. N. Engl. J. Med.2009; 360:2605-15.</p>   |
|                    | <p>3) Butler D. Swine flu goes global. Nature2009; 458:1082-3.</p>   |
|                    | <p>4) Morens DM, Taubenberger JK, and Fauci AS. The Persistent Legacy of the 1918 Influenza Virus. N. Engl. J. Med.2009; Jun 29.</p>   |

**ANTIBODIES FOR RESEARCH USE ONLY.**

For additional information, visit ProSci's [Terms & Conditions Page](#).