



TZFP Peptide

Cat. No.: 46-543P



Ψ Specifications

SPECIES:	Human
TESTED APPLICATIONS:	Blocking
APPLICATIONS:	TZFP Peptide is used for blocking the activity of TZFP antibody (catalog number 46-543). The TZFP antibody ships at 0.5 mg/mL and the TZFP Peptide ships as a 100 ug pellet. When peptide is reconstituted in 200 uL water, the concentration will be 0.5 mg/mL, identical to that of the antibody. The best starting ratio would be 1:1 (which means molar excess of peptide relative to antibody when identical volumes are mixed). Mix equal volume of peptide and antibody at the required dilution and leave at ambient temperature for 20 minutes. Then incubate and develop in parallel two blots: one with the antibody and one with the antibody which has been pre-absorbed with the provided peptide.

Ψ Properties

PHYSICAL STATE:	Lyophilized
BUFFER:	TZFP peptide is supplied as 100 µg of dried peptide. When the peptide is reconstituted in 200 µL water, the concentration will be 0.5 mg/mL.
STORAGE CONDITIONS:	Store at -20 °C. When reconstituted minimize freezing and thawing.

OFFICIAL SYMBOL:	ZBTB32
ALTERNATE NAMES:	Rog, FAXF, FAZF, TZFP, ZNF538, Zinc finger and BTB domain-containing protein 32, FANCC-interacting protein,
ACCESSION NO.:	NP_055198
PROTEIN GI NO.:	7657665
GENE ID:	27033

ANTIBODIES FOR RESEARCH USE ONLY.

For additional information, visit ProSci's [Terms & Conditions Page](#).