



UBE2F Peptide

Cat. No.: 46-545P



TESTED APPLICATIONS: Blocking **APPLICATIONS:** UBE2F Peptide is used for blocking the activity of UBE2F antibody (catalog number 46-545). The UBE2F antibody ships at 0.5 mg/mL and the UBE2F Peptide ships as a 100 ug pellet. When peptide is reconstituted in 200 uL water, the concentration will be 0.5 mg/mL, identical to that of the antibody. The best starting ratio would be 1:1 (which means molar excess of peptide relative to antibody when identical volumes are mixed). Mix equal volume of peptide and antibody at the required dilution and leave at ambient temperature for 20 minutes. Then incubate and develop in parallel two blots: one with the antibody and one with the antibody which has been pre-absorbed with the provided peptide.

Ψ Properties

PHYSICAL STATE:	Lyophilized
BUFFER:	UBE2F peptide is supplied as 100 µg of dried peptide. When the peptide is reconstituted in 200 µL water, the concentration will be 0.5 mg/mL.
STORAGE CONDITIONS:	Store at -20 °C. When reconstituted minimize freezing and thawing.

Ψ Additional Info

OFFICIAL SYMBOL:	UBE2F
ALTERNATE NAMES:	NCE2, NCE2, NEDD8-conjugating enzyme UBE2F, NEDD8 carrier protein UBE2F,
ACCESSION NO.:	NP_542409
PROTEIN GI NO.:	18087857

GENE ID:	140739
-----------------	--------

ANTIBODIES FOR RESEARCH USE ONLY.

For additional information, visit ProSci's [Terms & Conditions Page](#).