




ProSci Incorporated
12170 Flint Place
Poway, CA 92064

Toll Free: +1 (888) 513 9525
Local: +1 (858) 513 2638
Fax: +1 (858) 513 2692

techsupport@prosci-inc.com
prosci-inc.com

PCCA Antibody

CATALOG NUMBER: XW-7764



E coli-derived fusion protein as test antigen. Affinity-purified IgY dilution: 1:2000, Goat anti-IgY-HRP dilution: 1:1000. Colorimetric method for signal development.

Specifications

SPECIES REACTIVITY:	Human
TESTED APPLICATIONS:	WB
APPLICATIONS:	Propionyl-CoA carboxylase α chain, mitochondrial antibody can be used for the detection of Propionyl-CoA carboxylase α chain, mitochondrial by Western Blot.
USER NOTE:	Optimal dilutions for each application to be determined by the researcher.
PREDICTED MOLECULAR WEIGHT:	77.4 kDa (calculated)
IMMUNOGEN:	450-703
HOST SPECIES:	Chicken

Properties

PURIFICATION:	Immunoaffinity Purified
PHYSICAL STATE:	Liquid
BUFFER:	Phosphate-Buffered Saline. No preservatives added.
CONCENTRATION:	1 mg/mL
STORAGE CONDITIONS:	PCCA antibody can be stored at 4°C for short term (weeks). Long term storage should be at -20°C. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.
CLONALITY:	Polyclonal
CONJUGATE:	Unconjugated

Additional Info

ALTERNATE NAMES: Propionyl-CoA carboxylase alpha chain, mitochondrialPCCase subunit alpha, PropionylCoA carboxylase alpha

chain, mitochondrial, PCCase alpha subunit, Propanoyl-CoA:carbon dioxide ligase alpha subunit

ACCESSION NO.: NP_000273.1

PROTEIN GI NO.: 4557833

OFFICIAL SYMBOL: PCCA

GENE ID: 5095

Background

BACKGROUND: **DISEASE:** Defects in PCCA are the cause of propionic acidemia type I (PA-1) [MIM:606054]. PA-1 is a life-threatening disease characterized by episodic vomiting, lethargy and ketosis, neutropenia, periodic thrombocytopenia, hypoglobulinemia, developmental retardation, and intolerance to protein.

CATALYTIC ACTIVITY: ATP + propanoyl-CoA + HCO₃⁻ = ADP + phosphate + (S)-methylmalonyl-CoA.

SUBUNIT: Probably a dodecamer composed of six biotin-containing α subunits and six β subunits.

FOR RESEARCH USE ONLY

January 8, 2018